



2024 Ag Service Test Plot Results

Dennis Funk Plot

Plant Date: 4-18-24

Population: 22K

Fertilizer: 120-40-12-15s-2zn

Previous Crop: Soybeans

Tillage: None

Harvest Date: 9-6-24

Plot Average: 144.0 Bu

Yield Adjusted for Moisture @15%

<u>RANK</u>	<u>BRAND</u>	<u>VARIETY</u>	<u>WT</u>	<u>%MST</u>	<u>ROW LG</u>	<u>ROW SPC</u>	<u>#ROWS</u>	<u>YIELD</u>	<u>TEST WT</u>
1	BR	08V35	1655	10.9	820	30	4	164.6	56
2	KS	112-34	1581	11.4	820	30	4	156.3	56
3	OL	112-3	1557	11.4	820	30	4	154.0	56
4	KS	662	1541	11.1	820	30	4	152.9	56
5	NK	1701	1569	12.7	820	30	4	152.9	56
6	OL	22-13	1539	11.6	820	30	4	151.8	56
7	KS	114-25	1548	12.5	820	30	4	151.2	56
8	NK	1307	1537	12.3	820	30	4	150.4	56
9	NK	922	1514	11.3	820	30	4	149.9	56
10	NK	877	1517	11.5	820	30	4	149.8	56
11	AM	1509	1544	13.1	820	30	4	149.7	56
12	OL	23-17	1520	12.1	820	30	4	149.1	56
13	AM	1220	1502	11.5	820	30	4	148.3	56
14	NK	1386	1508	12.4	820	30	4	147.4	56
15	AM	1460	1515	12.8	820	30	4	147.4	56
16	OL	29-14	1492	11.7	820	30	4	147.0	56
17	NK	1402	1488	12	820	30	4	146.1	56
18	BR	16K30	1467	11.7	820	30	4	144.6	56
19	KS	116-65	1460	11.6	820	30	4	144.0	56
20	KS	105-85	1447	11.5	820	30	4	142.9	56
21	BR	11C37	1447	11.5	820	30	4	142.9	56
22	KS	113-05	1441	11.8	820	30	4	141.8	56
23	KS	570	1428	11.6	820	30	4	140.9	56
24	KS	117-23	1398	12.4	820	30	4	136.7	56
25	NK	1661	1414	15.2	820	30	4	133.8	56
26	AM	1575	1328	12.5	820	30	4	129.7	56
27	KS	110-75	1227	11.3	820	30	4	121.5	56
28	NK	880	1202	11.5	820	30	4	118.7	56
29	NK	1082	1130	12	820	30	4	111.0	56

Xyway Trial

1	Xyway	2648	11.4	820	30	8	130.9	56
2	NonTreated	2611	11.2	820	30	8	129.4	56